






I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.



I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11


Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.



I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11


Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.




I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.




I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.




I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.




I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.



I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.



I codici con asterisco fanno riferimento alla finitura INOX (SS). Per le altre finiture, consultare Pag.11

Star marked codes refer to stainless steel (SS) finish. See page 11 for other finishes.

SS - INOX	NF AB - NERO FUMO	AN - ANTRACITE
GP1021	GP1022	GP1021
ZP1560	ZP1561	ZP1735
ZP1881	ZP1546	ZP1734
ZP1880	ZP1642	ZP1733
GP1167	GP0457	GP1125
ZS6995	ZA0772	ZS6995
GP0460	GP0461	GP1126
ZS6995	ZA0772	ZS6995
GP1166	GP0453	GP1124
ZS6994	ZA0771	ZS6994
ZC1062	ZC0558	ZC1062
ZS8919	ZC0416	ZS8919
ZS3321	ZC0100	ZS3321
ZP0268	ZC0318	ZC1082
ZS7089	ZA0720	ZS7089

COM / 2022 / 974 - 2 || Cucina Enfasi EQ10FFF-5FI SS Steel 400/50 EU

CODICE	ITA	EN	Q.TA'
400006	Paracolpo sportello - TAP 06X10	Protection door	2
414559	Fissa telai laterali f.inc F-92	Lateral frame support for built-in oven	18
481403	Thermo switch 16A T170 (ELTH 2710168) ceramico TS	Safety thermostat	2
481814	Commutatore abb f.i "90" (no pizza) EGO 46.23966.864	Commutator multif. for 90 built-in oven(no pizza)	1
482072	Resistenza cielo/grill F.picc. 192 (1200+500W 230/240V) EGO 20.40911.000	Upper heating element cooker	1
482094	Resistenza cielo/grill forno 60 (1900+850W) Sintesi EGO 20.40662.000	Grill heating element for oven 60 (1900+850W)	1
482094	Resistenza cielo/grill forno 60 (1900+850W) Sintesi EGO 20.40662.000	Grill heating element for oven 60 (1900+850W)	1
482120	Termostato cuc 192 (f sts) EGO 55.19062.865 (eika 81380851)	Thermostat cooker 192	1
482589	Resistenza circolare (3 spire) 230V-2100W EGO 20.41110.000	Circular heating element 230V-2100W	1
500906	Sottovite nera e cromata (bronzata)	Chromed black washer	12
541011	Distanziale tettoino F. incasso	Spacer washer for built-in oven	2
601108	Catenella anti-ribaltamento (D: 1,5) WU 0520 0116	Anti-overturning device	0,3
601152	Molla ferma sonda f.i pnv 300 "rex"	Spring fixing feeler for built-in oven	6
GP0460	Gruppo Porta forno PF 60 P/100 TC KL-PLG compl Inox ENF SFT	Assembly glued oven door 60 P/100 triple oven Nero Fumo	1
GP1166	Gruppo Porta forno PF 30 Cieco-PLG completa inox ENF SFT	Assembly glued oven door 30 inox	1
GP1167	Gruppo Porta forno PF 60 G/100 TC Cieco-PLG compl. inox ENF SFT	Assembly glued oven door 60 G/100 triple oven inox	1
ZA0469	Induzione 5 fuochi EGO 5FI OCTA - 75.08016.610	Induction 5 element OCTA EGO 75.08016.610	1
ZA0814	Commutatore funz forno Fast Heat AGF Everel 11HE392 ECO	Commutator oven fast heat functions	1
ZA0816	Regolatore energia encoder forno Everel - Minicodi HE 04-0084-1101 ECO TCK CPU	Energy regulator for oven 230 V	1
ZA0831	Termocoppia termostato elettronico forno PT1000 - T&P 20030590 ECO	Oven thermocouple PT1000	1
ZA0833	Interruttore apertura porta forno - ZF ECO CPU	Switch for oven door	1
ZA0841	Orologio timer/contaminuti 60 minuti - CD60M36033	Timer	1
ZA0882	Portalamпада forno completo lampada e protez rettang. (ALO 25 W) BJB 77728215923	Complete Lamp-holder for oven (max 25 W)	1
ZA0994	Staffa cerniera 06 SFT	Hinge support 06	6
ZA1095	Morsettiera 7 poli con terra 3 ponti inclusi - UL - MEG300567 FV273B/7PE	Terminal block for appliance	1
ZA1096	Pressacavo morsettiera - PA268RO - MEG970642	Cable clamp	1
ZA1163	Schema cablaggio sil. cucina ECO EQ10FFF-5FI induz EGO 2T NP Multi Prt/Drb	Wiring diagram for cooker E10FFF-5FI	1
ZA1597	Ventilat. f.i. "90" A15R00204 20W RO Fime SENZA ventola e dado - A1500204.3	Circular tangential oven 90 fan without fan and nut	1
ZA1598	Ventola VN130 Fime D.120 H16.2 11P. S/M FeZn - VN130	Fan for circular tangential oven	1
ZA1608	Dado Fime E10 H6 M6 RO DX destro nickelato - DAD0059613	Nut for circular tangential oven	1
ZC0296	Fianco muffola forno 30/60/90 smalto grigio PYRO TEC	Side muffle oven 30/60/90 enamelled 04 grey	1
ZC0296	Fianco muffola forno 30/60/90 smalto grigio PYRO TEC	Side muffle oven 30/60/90 enamelled 04 grey	2
ZC0348	Cielo muffola forno 30 smalto grigio PYRO TEC	Enamelled muffle ceiling oven 30 grey	1
ZC0349	Cielo muffola forno 60 smalto grigio PYRO TEC	Enamelled muffle ceiling oven 60 grey	2
ZC0350	Copriventilatore forno 60 con foro girarrosto smalto grigio PYRO TEC	Fan cover for oven 60 with turnspit hole grey	1
ZC0355	Leccarda forno 30 smalto grigio PYRO TEC	Enamelled drip tray for oven 30 grey	1
ZC0356	Leccarda forno 60 smalto grigio PYRO TEC	Enamelled drip tray for oven 60 grey	1
ZC0358	Fianco muffola forno 60 P smalto grigio PYRO TEC	Side muffle oven 60 P enamelled grey	2
ZC0359	Fondo muffola forno 30 smalto grigio PYRO TEC	Enamelled muffle bottom for oven 30 grey	1
ZC0360	Fondo muffola forno 60 smalto grigio PYRO TEC	Enamelled muffle bottom for oven 60 grey	1

ZC0361	Retro muffola forno 30 smalto grigio PYRO TEC	Muffle rear side oven 30 enamelled grey	1
ZC0362	Retro muffola forno 60 P smalto grigio PYRO TEC	Muffle rear side oven 60 P enamelled grey	1
ZC0365	Supporto resistenza grill muffola forno 30 smalto grigio PYRO TEC 04	Grill heating element support for muffle oven 30 enamelled grey	1
ZC0366	Supporto resistenza grill muffola forno 60 smalto grigio PYRO TEC	Grill heating element support for muffle oven 60 enamelled grey	1
ZC0366	Supporto resistenza grill muffola forno 60 smalto grigio PYRO TEC	Grill heating element support for muffle oven 60 enamelled grey	1
ZC0490	Facciata muffola forno 30 SFT smalto grigio PYRO TEC	Enamelled muffle front side oven 30 grey	1
ZC0494	Facciata muffola forno 60 DC SFT smalto grigio PYRO TEC con foro	Enamelled muffle front side oven 60 DC grey	1
ZC0544	Fianco muffola forno 30/60/90 smalto grigio PYRO TEC con foro e lamp rett	Side muffle oven 30/60/90 enamelled 04 grey with lamp hole	1
ZC1062	Cruscotto ant 5FI zone INDUZ ENF 100 TC NP 4 Man Inox serigrafato	Control panel front 5FI induction electric oven Drb 100 Inox serygr.	1
ZP0068	Piastra spessore fissaggio barra induzione Prt/Drb	Thickness for profile	2
ZP0119	Chiusura foro girarrosto forno 30 inox TDL vapore	Turnspit hole cap	1
ZP0238	Blocchetto supporto traversa 090/100 Prt/Drb cucina laterale INDUZ	Clamp for support bar induction	4
ZP0239	Traversa supporto induzione EGO OCTA 090/100 Prt/Drb laterale	Clamp support for induction 90/100 Party lateral	2
ZP0244	Traversa supporto induzione EGO OCTA 100 Drb anteriore accorciata	Support bar for induction element front cooker 100	1
ZP0245	Traversa supporto induzione EGO OCTA 100 Drb posteriore accorciata	Support bar for induction element rear cooker 100	1
ZP0263	Carter inf cucina 100 TC Adagio	Lower guard for cooker 100 triple cavity 04	1
ZP0265	Rinforzo carter inf cucina 100 TC esterno ADG	Reinforcement for lower guard cooker 100 triple oven ADG	1
ZP0266	Staffa muffola post SX 100 TC ass FG / FE ADG	Rear support for muffle left/right side cooker 100 triple oven	1
ZP0268	Porta cassetto cucina 100 TC ADG cerniera SS inox	Drawer door cooker 100 ADG s.steel	1
ZP0269	Controporta cassetto cucina 100 TC cern ADG	Counterdoor drawer cooker 100 TC ADG	1
ZP0272	Staffa muffola ant SX 100 TC ass FG / FE ADG	Front support for muffle Left side 100 triple oven cooker	1
ZP0273	Cielo cassetto cucina 100 TC ADG	Upper guard for drawer 100 triple oven	1
ZP0274	Parete laterale DX/SX vano cassetto 100 TC ADG	Left side drawer compartment for cooker 100 triple oven ADG	2
ZP0279	Rinforzo carter inf cucina 100 TC interno ADG	Reinforcement for lower guard cooker 100 triple oven internal	3
ZP0349	Convogliatore aria sup 100 DC/TC raccordo SX	Air conveyor for cooktop SX	1
ZP0350	Convogliatore aria sup 100 DC/TC raccordo DX	Air conveyor for cooktop DX	1
ZP0389	Staffa muffola post DX 100 TC ass FG / FE ADG	Left side drawer compartment for cooker 100 triple oven ADG	1
ZP0439	Convogliatore aria sup 100 DC doppio Prt/Drb	Air conveyor for cooktop 100 double oven Prt/Drb	1
ZP0500	Staffa supporto scheda comandi induzione 4/5 fuochi EGO corta	Support for electronic control induction element	1
ZP0663	Piastrina ferma sonda PT1000 T&P ECO	Probe plate	1
ZP0812	Staffa fissaggio Termostato tang. TY60	Inner reinforcement for upper door fixing hinge S9S	1
ZP1210	Staffa post alloggio mors. 7 poli ENF	Rear bracket for 7-pole terminal block	1
ZP1211	Cover chiusura morsettiera 7 poli ENF/BRC	Terminal block for appliance	1
ZP1214	Carter post cucina 100 TC OXF / CNR / ENF / ADG mors. 7 poli	Rear guard for cooker 100 double oven ADG	1
ZP1623	Rondella chiusura foro sonda fianchi / int facciata forno Sp.3mm	Washer closing hole	1
ZS0903	Piede sintesi nero D29.5 H15 M10x37 (Art 153R)	Sintesi black foot H.15	5
ZS1075	Termostato forno sintesi EGO 55.19052.812 (eika 81381415)	Oven thermostat	1
ZS1140	Guaina coprifilo vetrotex d.4 nera (1001035004A)	Wire protection d.3,5 vetrotex black	0,8
ZS1140	Guaina coprifilo vetrotex d.4 nera (1001035004A)	Wire protection d.3,5 vetrotex black	1,6
ZS1204	Gemma trasparente T120° x spia 272999000T	Transparent lens	4
ZS1205	Spia lumin fluo verde 27528600A6 resis paral 250V T150 (MEVSX27N12F3100059)	Fluorescent green warning light	1
ZS1755	Spia lumin fluo arancio 27527600A5 con resist. paral. (T150)	Fluorescent orange warning light	3
ZS1929	Faston 4 poli - PMC 4/6,3 5C rivetti di massa a 4 vie UniFast	Faston	1

ZS2026	Termostato tang. TY60 N.O. Fissaggio B (ELTH T220)(2612522)	Thermostat TY60 N.O. fixing B	2
ZS2283	Telaio laterale forno 30/60/90 - 4 livelli	Oven lateral frame 30/60/90	4
ZS2284	Telaio laterale forno 60 DX/SX ribassato 2 livelli	Oven lateral frame 60 R/L	2
ZS2286	Griglia filo forno 60 cromata	Chromed wire grid for oven 60	2
ZS2287	Griglia filo forno 30 cromata	Chromed wire grid for oven 30	1
ZS2289	Supporto asta girarrosto 60/90	Support for grillrod 60/90	1
ZS2442	Staffa muffola post cent 60 DC Sintesi 04	Rear central support for muffle 60 DC	1
ZS2443	Staffa muffola post cent 30 Sintesi 04	Rear central support for muffle 30	1
ZS2454	Supporto resistenza platea forno 30 Sintesi 04	Lower heating elem.support oven 30 04	1
ZS2455	Vassoio resistenza platea forno 30 Sintesi 04 H=21	Lower heating element tray oven 30 04	1
ZS2459	Vassoio resistenza platea forno 60 Sintesi 04 H=21	Lower heating element tray oven 60 04	1
ZS2460	Lana vetro retro forno 60 P (bianca) 04	White glass wool for rear side grilling 60 oven	1
ZS2475	Staffa muffola ant DX/SX 100 DC-TC/120 DC Sintesi 04	Front support for muffle left/right side 100/120 double/triple oven cooker	1
ZS2499	Staffa motore girarrosto forno 60/90 - Sintesi 04	Fixing support for turnspit motor oven 60/90	1
ZS2501	Staffa muffola ant cent 100 TC Sintesi 04	Front central muffle support for cooker 100 triple oven	1
ZS2599	Guarnizione forno 30 H=8.9 cucina Sintesi 04	Gasket oven 30 04	1
ZS2604	Supporto termostato di sicurezza 04	Support for safety thermostat 04	2
ZS2627	Lana vetro retro forno 30 (bianca) 04	White glass wool for rear side 30 oven 04	1
ZS2628	Lana vetro avvolgente forno 30 (bianca) 04	White glass wool for 30 oven 04	1
ZS2629	Lana vetro retro forno 60 (bianca) 04	White glass wool for rear side 60 oven 04	1
ZS2632	Lana vetro avvolgente forno 60 (bianca) 04	White glass wool for 60 oven 04	2
ZS2663	Ventilat. tang L=180 Askoll M1034 - IMS TG6 180 1629 SD STTG2203600	Cooling fan L=180 Askoll (AU)	2
ZS2665	Supporto ritardatore ventilaz Sintesi 04	Support for fan timelag device	2
ZS2749	Carter ventilaz muffola 100 DC Prt/Drb	Muffle fan guard cooker 100 double oven Prt / Drb	1
ZS3171	Piastrina bloccaggio piano fianco Prt/Drb	Blocking plate hob-side Party	2
ZS3312	Protezione lampada/girarrosto 100 DC Prt/Drb	Blocking plate hob-side Prt/Drb	2
ZS3321	Fianco esterno DX/SX inf alto Inox Prt/Drb	Side external right/left higher Drb S.STEEL	2
ZS3495	Rondella smussata Sintesi 4.3 x 10 x 3	Washer 4.3 x 10 x 3	4
ZS3708	Guaina coprifilo vetrotex d.16 rossa	Wire protection d.16 vetrotex red	0,4
ZS3976	Guarnizione antivibraz Aerstop/A SE/40 nero 5x15x916mm	Gasket aerostop	1
ZS5128	Piastra chiusura foro rampa Prt/Drb	Ramp hole closing plate	1
ZS5174	Asta girarrosto forno 60 (4 forch e manopola imbustate insieme) Cast 08 L=545	Turnspit for oven 60 (4 forks + handle) - 04	1
ZS5236	Motoriduttore girarrosto 50/60 Hz Cast TS129 (ex TS119)	Turnspit motor reducer 50/60 Hz	1
ZS5377	Regolatore energia encoder induzione EGO - 230V EGO 44.02020.010	Energy regulator for induction 230 V EGO EU	5
ZS6002	Distanziale chiusura supporto girarrosto	Reinforce for fixing support for turnspit motor oven 60/90	1
ZS6005	Fermacavo in lamiera - supporto asta girarrosto	Fixing support for turnspit motor oven 60/90	1
ZS6026	Commutatore induzione no contatti EGO 42.02900.031	Switch for induction encoder	5
ZS6339	Piastra ceramica pietra refrattaria x pizza AGF 35x35x9	Ceramic tiles for oven	1
ZS6540	Guarnizione forno 60 P H=8.9 ribassato mat. HT	Gasket grilling oven 60 P H=8.9 mat HT	1
ZS6541	Guarnizione forno 60 H=8.9 mat. HT	Gasket oven 60 H=8.9 mat HT	1
ZS6558	Supporto resistenza platea forno 60 adattatore	Adapter for lower heating elements	1
ZS6631	Porta lampada forno completo lampada e protezione (ALO 25 W) BJB 77.208.0099.10	Complete Lamp-holder for oven (max 25 W)	3
ZS6721	Supporto bulbo forno 60 P AGF TDL	Clamp support for commutator cooker Party	1

ZS6787	Scheda comandi induzione 4/5 fuochi EGO - 75.04003 - 980.449-00
ZS6817	Piedino di supporto per scheda comandi induzione EGO - Essentra LCBS-7-12-01
ZS6904	Coperchio morsettiera induzione EGO 0000968265
ZS7089	Manopola sintesi ATG fuochi gas
ZS7508	Supporto resistenza platea AGF 060 R
ZS7509	Supporto pietra refrattaria x pizza copri resistenza AGF 060 R
ZS7590	Resistenza platea forno 60 (1200W/230V) EGO 20.25068.000 NG
ZS7653	Resistenza platea forno 30 (900W) EGO 20.41031.010 NG
ZS7657	Cerniera porta cassetto ZA - Grill
ZS7790	Vassoio pietra pizza platea TDL AGF 060 R
ZS7811	Libretto istruzioni cucine Prt/Drb - Steel multilingua IT-EN-DE-FR-NL
ZS7891	Termostato di sicurezza EGO 55.19172.801 capillare TS
ZS7893	Commutatore funz forno AGF 060 R EGO 42.03000.036
ZS8915	Supporto 3 comandi elet. cucina passo 77 ENF
ZS8917	Supporto 2 comandi elet. cucina passo 77 ENF
ZS8919	Profilato cruscotto cucina 100 DC ENF inox spazzolato inclinato
ZS9953	Supporto resistenza platea AGF 060 x ZS9954

Encoders control board	1
Feet for electronic components EGO	3
Cover for induction terminal board	1
Knob gas burners ATG	10
Lower heating elem.support oven 60 R	1
Reinforcement for lower guard oven 60	2
Lower heating element for oven 60 (1200W/230V)	2
Lower heating element for oven 30	1
Door hinge for drawer door	2
Lower heating element tray oven 60 04	1
Instruction booklet cooker Party MULTILANGUAGE	1
Safety thermostat	1
Commutator oven functions 060 R	2
Commutator support 3 positions	2
Commutator support 2 positions	2
Frontal bar profile cooker 100 DC polished	1
Lower heating elem.support oven 60	1