




**Cucina genesi GQ9S-4M SS OT Steel G20/20 230/50 EU****CLIENTE**


| <b>Code</b> | <b>Description</b>                                            | <b>Qty</b> | <b>Code</b> | <b>Description</b> | <b>Qty</b> |
|-------------|---------------------------------------------------------------|------------|-------------|--------------------|------------|
| ZC1068      | Control panel front 5/6 burners M GNS 90 TCK CPU with serygr. | 1          |             |                    |            |
| ZP0404      | Upper lateral panel right side                                | 1          |             |                    |            |
| ZP0406      | Upper lateral panel left side                                 | 1          |             |                    |            |
| ZP1010      | Display support                                               | 1          |             |                    |            |
| ZP1043      | Complete spill tray cooker 90 4 burners, Mega wok             | 1          |             |                    |            |
| ZP1051      | Sintesi upper right side clamp 62.5 extended                  | 1          |             |                    |            |
| ZP1052      | Sintesi upper right side clamp 62.5 extended                  | 1          |             |                    |            |
| ZS0511      | Cast-iron grid 2 burners Sintesi                              | 2          |             |                    |            |
| ZS0565      | Cast-iron grid for wok                                        | 1          |             |                    |            |
| ZS3020      | Support for connection top-base                               | 2          |             |                    |            |
| ZS3047      | Knob 58 for built-in oven SLT                                 | 8          |             |                    |            |
| ZS5722      | Cast-iron grid 1 burner Sintesi                               | 1          |             |                    |            |



# Cucina genesis GQ9S-4M SS OT Steel G20/20 230/50 EU

CLIENTE

| Code   | Description                                              | Qty | Code   | Description                                | Qty |
|--------|----------------------------------------------------------|-----|--------|--------------------------------------------|-----|
| 400689 | Gasket gas inlet                                         | 3   | ZS5272 | Thermocouple Cast L=770                    | 3   |
| 410610 | Pipe holder (G20)IT                                      | 1   | ZS6109 | Valved tap for triple-ring burner          | 1   |
| 410645 | Pipe holder (G30)                                        | 1   | ZS6772 | Clamp support for main ramp                | 7   |
| 414121 | Semi-rapid burner body G20 0,97                          | 1   | ZS8189 | Mega Wok burner body G20/20 0,68 1.40      | 1   |
| 414123 | Auxiliary burner body G20 0,72                           | 1   | ZS8190 | Mega Wok burner flame spreader BRASS       | 1   |
| 414212 | Rapid burner body G20 1,15                               | 1   | ZS8191 | Wok burner spark plug sbf DCC M+G INT      | 2   |
| 421323 | Gas taps fixing bridle M60                               | 6   | ZS8192 | Plate Mega Wok burner external             | 1   |
| 481918 | Ignition system 6 flames                                 | 1   | ZS8194 | Gasket for wok burner                      | 2   |
| 601229 | Spring fixing spark plug for triple ring P-4             | 4   | ZS8197 | Mega Wok burner spark plug sbf DCC G EXT   | 1   |
| ZA0256 | Pipe ramp for t.c. 4.5 central burner cooker DCC 90/120  | 1   | ZS8198 | Thermocouple SBF L=750 DCC                 | 1   |
| ZA1053 | Plate central Wok burner                                 | 2   | ZS8199 | Support for thermocouple DCC               | 1   |
| ZA1765 | Ramp 6 burners cooker 090/100 GNS                        | 1   | ZS8626 | Auxiliary burner flame spreader HE2 BRASS  | 1   |
| ZP0959 | Clamp support for ramp GNS 090                           | 1   | ZS8628 | Semi-rapid burner flame spreader HE2 BRASS | 1   |
| ZP0963 | Rear ramp fixing support cooker 90/120                   | 1   | ZS8630 | Rapid burner flame spreader HE2 BRASS      | 1   |
| ZP1995 | Commutator support 2 positions                           | 3   | ZS8633 | Plate Wok burner external                  | 1   |
| ZP1998 | Commutator support 2 positions                           | 2   | ZS8634 | Spring fixing spark plug for Wok           | 2   |
| ZS0578 | Ignition switches for six burners' cooker                | 1   | ZS8637 | Wok burner body G20/20 1,32                | 1   |
| ZS0907 | Fixing nut for themocouple                               | 4   | ZS8638 | Wok burner flame spreader BRASS            | 1   |
| ZS2026 | Thermostat TY60 N.O. fixing B                            | 1   | ZS8684 | Plate rapid burner HE2                     | 1   |
| ZS2064 | Burner spark plug sbf L=900                              | 3   | ZS8685 | Plate semi-rapid burner HE2                | 1   |
| ZS2217 | Gasket for auxiliary burner                              | 1   | ZS8686 | Plate auxiliary burner HE2                 | 1   |
| ZS2218 | Gasket for semi-rapid burner                             | 1   | ZS8980 | Gasket for Mega wok thermocouple support   | 1   |
| ZS2219 | Gasket for rapid burner                                  | 1   |        |                                            |     |
| ZS2665 | Support for fan timelag device                           | 1   |        |                                            |     |
| ZS2923 | Valved tap for auxiliary burner (bypass 0,27)            | 2   |        |                                            |     |
| ZS2924 | Valved tap for rapid/fish-kettle burner                  | 1   |        |                                            |     |
| ZS2925 | Valved tap for semi-rapid burner                         | 1   |        |                                            |     |
| ZS2926 | Valved tap for triple-ring burner                        | 1   |        |                                            |     |
| ZS3021 | Adapter female-male 1/2 BSP 04                           | 1   |        |                                            |     |
| ZS3058 | Pipe ramp for front left triple ring burner cooker 90 05 | 1   |        |                                            |     |
| ZS3059 | Pipe ramp for rear left semi-rapid burner cooker 90 05   | 1   |        |                                            |     |
| ZS3060 | Pipe ramp for front right auxiliary burner cooker 90 05  | 1   |        |                                            |     |
| ZS3061 | Pipe ramp for rear right rapid burner cooker 90 05       | 1   |        |                                            |     |
| ZS4181 | Thermocouple SBF L=750 TC                                | 2   |        |                                            |     |
| ZS4186 | Fixing nut for thermocouple burner 4.5                   | 2   |        |                                            |     |
| ZS4837 | Pipe ramp for t.c. 4.5 external burner cooker            | 1   |        |                                            |     |



## Cucina genesi GQ9S-4M SS OT Steel G20/20 230/50 EU

CLIENTE

| Code   | Description                           | Qty | Code | Description | Qty |
|--------|---------------------------------------|-----|------|-------------|-----|
| ZA0815 | Steam oven functions switch           | 1   |      |             |     |
| ZA0816 | Energy regulator for oven 230 V       | 1   |      |             |     |
| ZA0883 | Timer power board                     | 1   |      |             |     |
| ZA0884 | Timer (display)                       | 1   |      |             |     |
| ZA0886 | Encoder push oven                     | 1   |      |             |     |
| ZP1009 | Electrical display support            | 1   |      |             |     |
| ZP2001 | Commutator support 2 positions        | 1   |      |             |     |
| ZP2524 | Push Encoder - Support plate - za0886 | 1   |      |             |     |
| ZS6817 | Feet for electronic components EGO    | 6   |      |             |     |




# Cucina genesis GQ9S-4M SS OT Steel G20/20 230/50 EU

CLIENTE

| Code       | Description                                      | Qty | Code | Description | Qty |
|------------|--------------------------------------------------|-----|------|-------------|-----|
| GR0593     | Assembly complete lower reinforcement right side | 1   |      |             |     |
| GR0594     | Assembly complete lower reinforcement left side  | 1   |      |             |     |
| --> ZP1025 | Right side lower reinforcement                   | 1   |      |             |     |
| ZA0878     | Aluminium adhesive badge "Steel tricolore"       | 1   |      |             |     |
| ZA1096     | Cable clamp                                      | 1   |      |             |     |
| ZA1699     | Terminal block for appliance UL                  | 1   |      |             |     |
| ZP0542     | Air conveyor for cooktop 090/120 SF              | 1   |      |             |     |
| ZP0962     | Plinth for cooker 90                             | 1   |      |             |     |
| ZP0964     | Rear side closing 090 cooker                     | 1   |      |             |     |
| ZP1021     | Lateral side closing GNS cooker                  | 2   |      |             |     |
| ZP1026     | Complete lower right side panel                  | 1   |      |             |     |
| ZP1027     | Complete lower left side panel                   | 1   |      |             |     |
| ZP1184     | Rear bracket for 7-pole terminal block           | 1   |      |             |     |
| ZP1189     | Rear guard for cooker 90 Ascot                   | 1   |      |             |     |
| ZP1190     | Terminal board cover                             | 1   |      |             |     |
| ZP2122     | Ramp hole closing plate                          | 1   |      |             |     |
| ZS0458     | Drawer right regulation clip                     | 1   |      |             |     |
| ZS0459     | Drawer left regulation clip                      | 1   |      |             |     |
| ZS0903     | Sintesi black foot H.15                          | 4   |      |             |     |
| ZS2464     | Front support for muffle left/right side 90 04   | 2   |      |             |     |
| ZS2465     | Rear support for muffle left/right side 90 04    | 2   |      |             |     |
| ZS2503     | Lower guard for cooker 090 04                    | 1   |      |             |     |
| ZS2663     | Cooling fan L=180                                | 1   |      |             |     |
| ZS6372     | Couple legobox rails partial opening push pull   | 1   |      |             |     |
| ZS6681     | Drawer lateral side for cooker S.Steel           | 2   |      |             |     |
| ZS6684     | Spacer for drawer guide                          | 2   |      |             |     |
| ZS6827     | * Drawer door cooker 090 SF s.steel              | 1   |      |             |     |
| ZS6828     | Counterdoor drawer cooker 90 SF                  | 1   |      |             |     |
| ZS6829     | Bottom drawer for cooker 090 S.Steel             | 1   |      |             |     |
| ZS6830     | Drawer rear side for cooker 090 S.Steel          | 1   |      |             |     |
| ZS6888     | Upper guard for drawer 90                        | 1   |      |             |     |
| ZS6889     | Muffle fan guard cooker 90 cm                    | 1   |      |             |     |
| ZS6890     | Bracket condensate collection for 090 Steam      | 1   |      |             |     |
| ZS6907     | Air conveyor for cooktop 090/120 SF              | 1   |      |             |     |






## Cucina genesi GQ9S-4M SS OT Steel G20/20 230/50 EU

CLIENTE

| Code       | Description                                              | Qty | Code | Description | Qty |
|------------|----------------------------------------------------------|-----|------|-------------|-----|
| GP1108     | Assembly glued oven door 90                              | 1   |      |             |     |
| --> GR0887 | Assembly door 30/60/90 left bar profile SFT with gasket  | 1   |      |             |     |
| --> GR0889 | Assembly door 30/60/90 right bar profile SFT with gasket | 1   |      |             |     |
| --> ZA1108 | Door hinge for oven 90 triple glass                      | 2   |      |             |     |
| --> ZA1113 | Door oven handle for oven 90 nickel GNS                  | 1   |      |             |     |
| --> ZP1176 | * Glued external oven door 90                            | 1   |      |             |     |
| --> ZS2307 | Inner glass oven door 90                                 | 2   |      |             |     |
| --> ZS4746 | Right support for inner glass                            | 1   |      |             |     |
| --> ZS4747 | Left support for inner glass                             | 1   |      |             |     |



# Cucina genesis GQ9S-4M SS OT Steel G20/20 230/50 EU

CLIENTE

| Code       | Description                                                     | Qty | Code   | Description                                                | Qty |
|------------|-----------------------------------------------------------------|-----|--------|------------------------------------------------------------|-----|
| 411213     | Lateral frame support for built-in oven                         | 2   | ZS6002 | Reinforce for fixing support for turnspit motor oven 60/90 | 1   |
| 414559     | Lateral frame support for built-in oven                         | 6   | ZS6005 | Fixing support for turnspit motor oven 60/90               | 1   |
| 481403     | Safety thermostat                                               | 1   | ZS6034 | Oven lateral frame 30/60/90 S.Steel                        | 2   |
| 481589     | Grill heating element for oven 90                               | 1   | ZS6341 | S.steel Trivet for oven 90                                 | 1   |
| 482325     | Circular heating element 230V-2500W                             | 1   | ZS6343 | S.steel wire grid for oven 90                              | 2   |
| GP1012     | Assembly rear muffle oven 90 enamelled grey                     | 1   | ZS6366 | Core probe programmer                                      | 1   |
| --> ZC0552 | Fan cover for oven 90 with turnspit hole 04 black               | 1   | ZS6367 | Meat probe's socket                                        | 1   |
| ZA0831     | Oven thermocouple PT1000                                        | 1   | ZS6369 | Cover for Meat probe's socket                              | 1   |
| ZA0833     | Switch for oven door                                            | 1   | ZS6379 | Lower heating element tray oven 90                         | 1   |
| ZA0882     | Complete Lamp-holder for oven (max 25 W)                        | 1   | ZS6380 | Lower heating elem.support oven 90                         | 1   |
| ZA0994     | Hinge support 06                                                | 2   | ZS6543 | Complete muffle bottom for oven 90 S.Steel Steam           | 1   |
| ZA1597     | Circular tangential oven 90 fan without fan and nut RA          | 1   | ZS6631 | Complete Lamp-holder for oven (ALO max 25 W)               | 2   |
| ZA1599     | Circular tangential oven 90 fan without fan and nut RO          | 1   | ZS7595 | Drip tray for oven 90 S.Steel TDL                          | 1   |
| ZA1608     | Nut for circular tangential oven DX                             | 1   | ZS8229 | Steam generator cover 90                                   | 1   |
| ZA1609     | Nut for circular tangential oven SX                             | 1   |        |                                                            |     |
| ZC0296     | Side muffle oven 30/60/90 enamelled 04 grey                     | 1   |        |                                                            |     |
| ZC0298     | Enamelled muffle ceiling oven 90 grey                           | 1   |        |                                                            |     |
| ZC0303     | Grill heating element support for muffle oven 90 enamelled grey | 1   |        |                                                            |     |
| ZC0357     | Enamelled drip tray for oven 90 grey                            | 1   |        |                                                            |     |
| ZC0488     | Enamelled muffle front side oven 90 grey                        | 1   |        |                                                            |     |
| ZC0544     | Side muffle oven 30/60/90 enamelled 04 grey with lamp hole      | 1   |        |                                                            |     |
| ZC0551     | Fan cover for oven 90 with turnspit hole 04 black               | 1   |        |                                                            |     |
| ZP0663     | Probe plate                                                     | 1   |        |                                                            |     |
| ZP1748     | fan clockwise rotation                                          | 1   |        |                                                            |     |
| ZP1749     | fan counterclockwise rotation                                   | 1   |        |                                                            |     |
| ZS2289     | Support for grillrod 60/90                                      | 1   |        |                                                            |     |
| ZS2499     | Fixing support for turnspit motor oven 60/90                    | 1   |        |                                                            |     |
| ZS2604     | Support for safety thermostat 04                                | 1   |        |                                                            |     |
| ZS2625     | White glass wool for rear side 90 oven                          | 1   |        |                                                            |     |
| ZS2626     | White glass wool for 90 oven 04                                 | 1   |        |                                                            |     |
| ZS3078     | Telescopic liner right                                          | 2   |        |                                                            |     |
| ZS3079     | Telescopic liner left                                           | 2   |        |                                                            |     |
| ZS3082     | Lower heating element for oven 90 (1400 W)                      | 1   |        |                                                            |     |
| ZS3394     | Gasket oven 90 H=8.9 mat HT                                     | 1   |        |                                                            |     |
| ZS5175     | Turnspit for oven 90 (4 forks + handle) - 04                    | 1   |        |                                                            |     |
| ZS5236     | Turnspit motor reducer 50/60 Hz                                 | 1   |        |                                                            |     |

**Cucina genesis GQ9S-4M SS OT Steel G20/20 230/50 EU (not shown)****CLIENTE**

| Code   | Description                                  | Qty | Code | Description | Qty |
|--------|----------------------------------------------|-----|------|-------------|-----|
| 421312 | Rapid burner nozzle G30/31 29/37 mbar 0,85   | 1   |      |             |     |
| 423948 | Semi-rapid burner nozzle G30/31 0,65         | 1   |      |             |     |
| 423951 | Auxiliary burner nozzle G30/30 0,50          | 1   |      |             |     |
| 505241 | Screw for tap M4x9                           | 6   |      |             |     |
| 541011 | Spacer washer for built-in oven              | 9   |      |             |     |
| ZA1191 | Wiring diagram for cooker TCK CPU 090 2V gas | 1   |      |             |     |
| ZA1593 | Instruction booklet Timer - fast             | 1   |      |             |     |
| ZA1616 | Instruction booklet Timer - complete         | 1   |      |             |     |
| ZP1024 | Right side lower reinforcement               | 1   |      |             |     |
| ZS2419 | Spring for door glass assembling 04          | 4   |      |             |     |
| ZS2931 | Spacer between glasses                       | 4   |      |             |     |
| ZS6653 | Carafe graduate 0.5                          | 1   |      |             |     |
| ZS6679 | O-ring 3021 viton                            | 2   |      |             |     |
| ZS8200 | Screw M3.5x6                                 | 1   |      |             |     |
| ZS8635 | Screw M4 x 8 wok burner                      | 8   |      |             |     |
| ZS8645 | Pins for Wok                                 | 1   |      |             |     |
| ZS8831 | Mega Wok burner nozzle G30/30 0.94           | 2   |      |             |     |
| ZS8837 | Mega Wok burner nozzle G30/30 0.44           | 1   |      |             |     |

| Code   | Description                                            | Qty | Code   | Description                                    | Qty |
|--------|--------------------------------------------------------|-----|--------|------------------------------------------------|-----|
| 411213 | Lateral frame support for built-in oven                | 2   | ZS6109 | Valved tap for triple-ring burner              | 1   |
| 414121 | Semi-rapid burner body G20 0,97                        | 1   | ZS6372 | Couple legobox rails partial opening push pull | 1   |
| 414123 | Auxiliary burner body G20 0,72                         | 1   | ZS6631 | Complete Lamp-holder for oven (ALO max 25 W)   | 2   |
| 414212 | Rapid burner body G20 1,15                             | 1   | ZS8189 | Mega Wok burner body G20/20 0,68 1.40          | 1   |
| 481403 | Safety thermostat                                      | 1   | ZS8190 | Mega Wok burner flame spreader BRASS           | 1   |
| 481589 | Grill heating element for oven 90                      | 1   | ZS8191 | Wok burner spark plug sbf DCC M+G INT          | 2   |
| 481918 | Ignition system 6 flames                               | 1   | ZS8192 | Plate Mega Wok burner external                 | 1   |
| 482325 | Circular heating element 230V-2500W                    | 1   | ZS8194 | Gasket for wok burner                          | 2   |
| ZA0815 | Steam oven functions switch                            | 1   | ZS8197 | Mega Wok burner spark plug sbf DCC G EXT       | 1   |
| ZA0816 | Energy regulator for oven 230 V                        | 1   | ZS8198 | Thermocouple SBF L=750 DCC                     | 1   |
| ZA0831 | Oven thermocouple PT1000                               | 1   | ZS8199 | Support for thermocouple DCC                   | 1   |
| ZA0882 | Complete Lamp-holder for oven (max 25 W)               | 1   | ZS8200 | Screw M3.5x6                                   | 1   |
| ZA0883 | Timer power board                                      | 1   | ZS8626 | Auxiliary burner flame spreader HE2 BRASS      | 1   |
| ZA0884 | Timer (display)                                        | 1   | ZS8628 | Semi-rapid burner flame spreader HE2 BRASS     | 1   |
| ZA0886 | Encoder push oven                                      | 1   | ZS8630 | Rapid burner flame spreader HE2 BRASS          | 1   |
| ZA1053 | Plate central Wok burner                               | 2   | ZS8633 | Plate Wok burner external                      | 1   |
| ZA1108 | Door hinge for oven 90 triple glass                    | 2   | ZS8635 | Screw M4 x 8 wok burner                        | 8   |
| ZA1597 | Circular tangential oven 90 fan without fan and nut RA | 1   | ZS8637 | Wok burner body G20/20 1,32                    | 1   |
| ZA1599 | Circular tangential oven 90 fan without fan and nut RO | 1   | ZS8638 | Wok burner flame spreader BRASS                | 1   |
| ZA1608 | Nut for circular tangential oven DX                    | 1   | ZS8645 | Pins for Wok                                   | 1   |
| ZS0578 | Ignition switches for six burners' cooker              | 1   | ZS8684 | Plate rapid burner HE2                         | 1   |
| ZS2026 | Thermostat TY60 N.O. fixing B                          | 1   | ZS8685 | Plate semi-rapid burner HE2                    | 1   |
| ZS2064 | Burner spark plug sbf L=900                            | 3   | ZS8686 | Plate auxiliary burner HE2                     | 1   |
| ZS2217 | Gasket for auxiliary burner                            | 1   | ZS8980 | Gasket for Mega wok thermocouple support       | 1   |
| ZS2218 | Gasket for semi-rapid burner                           | 1   |        |                                                |     |
| ZS2219 | Gasket for rapid burner                                | 1   |        |                                                |     |
| ZS2663 | Cooling fan L=180                                      | 1   |        |                                                |     |
| ZS2923 | Valved tap for auxiliary burner (bypass 0,27)          | 2   |        |                                                |     |
| ZS2924 | Valved tap for rapid/fish-kettle burner                | 1   |        |                                                |     |
| ZS2925 | Valved tap for semi-rapid burner                       | 1   |        |                                                |     |
| ZS2926 | Valved tap for triple-ring burner                      | 1   |        |                                                |     |
| ZS3082 | Lower heating element for oven 90 (1400 W)             | 1   |        |                                                |     |
| ZS4181 | Thermocouple SBF L=750 TC                              | 2   |        |                                                |     |
| ZS4186 | Fixing nut for thermocouple burner 4.5                 | 2   |        |                                                |     |
| ZS5236 | Turnspit motor reducer 50/60 Hz                        | 1   |        |                                                |     |
| ZS5272 | Thermocouple Cast L=770                                | 3   |        |                                                |     |